



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010031210

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Thermal insulation products for building equipment and industrial installations – Factory made mineral wool (MW) products

Type: Annex No. 1

produced by
İZOCAM TİC. SAN. ve A.Ş.

Altayçeşme Mahallesi, Çamlı Sokak, No:21, Kat:4-5, 34843, Maltepe/İstanbul, Türkiye

and produced in the manufacturing plant:
Dilovası OSB., 1. Kısım No:8, Dicle Cd, Dilovası, 41455, KOCAELİ, Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14303:2009+A1:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 6 March 2013 under CPD and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

The stamp of the Notified Body 1020

Prague, 31st December, 2020




Ing. Iveta Jiroutová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznamovaný subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Annex No.1

Certificate No. 1020 – CPR – 010031210

EN 14303:2009+A1:2013 products:

Product name	Density	Thickness	Reaction to fire
	[kg/m ³]	[mm]	[class]
Unfaced Stonewool Boards	30-200	25-200	A1
Stonewool Boards - 1 side Non Combustible Alufoil Faced	30-200	25-200	
Stonewool Industrial Blankets	40-150	25-120	
Unfaced Stonewool Pipe Sections	100-140	25-100	A1 _L
Stonewool Pipe Sections - Non Combustible Alufoil Faced	100-140	25-100	A2 _L -s1,d0

The stamp of the Notified Body 1020

Prague, 31st December, 2020




Ing. Iveta Jiroutová
Deputy manager of the Notified Body