



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI <i>REFERENCE NUMBER OF LICENCE</i>	000134-TSE-08/05
BELGENİN İLK VERİLİŞ TARİHİ <i>DATE OF FIRST ISSUE OF LICENCE</i>	24.04.2012
BELGENİN SON GEÇERLİLİK TARİHİ <i>LICENCE VALID UNTIL</i>	23.03.2026
BELGE SAHİBİ KURULUŞUN ADI <i>NAME OF THE LICENCE HOLDER</i>	İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ
BELGE SAHİBİ KURULUŞUN ADRESİ <i>ADDRESS OF THE LICENCE HOLDER</i>	ALTAYÇEŞME MAH. ÇAMLI SK. NO:21 /4 MALTEPE İSTANBUL/TÜRKİYE
ÜRETİM YERİ ADI <i>NAME OF THE MANUFACTURING PLACE</i>	İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ <i>ADDRESS OF THE MANUFACTURING PLACE</i>	DİLOVASI 41455 GEBZE KOCAELİ / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) <i>INDICATION OF SUPERSEDED LICENCE (if any)</i>	000134-TSE-08/04
TESCİLLİ TİCARİ MARKASI <i>REGISTERED TRADE MARK</i>	İZOCAM
İLGİLİ TÜRK STANDARDI <i>RELATED TURKISH STANDARD</i>	TS EN 13162+A1 / 02.04.2015
BELGE KAPSAMI <i>SCOPE OF LICENCE</i>	



1) COMMERCIAL MODEL: "TAŞYÜNÜ ARA BÖLME LEVHASI"
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,037 W/M.K
THICKNESS CLASS: T3
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
(S.C, 01.08.2024)

2) COMMERCIAL MODEL: "TAŞYÜNÜ DIŞ CEPHE LEVHASI"
REACTION TO FIRE: A1

e-imzalı/e-signed

19.03.2025

On Behalf Of The Head Of Certification Center
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION
DEPT. P.

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(000134-TSE-08/05nolu belge devamı) : İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI (RELATED TURKISH STANDARD) TS EN 13162+A1 / 02.04.2015

THERMAL CONDUCTIVITY (λ): 0,037 W/M.K
THICKNESS CLASS: T3
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COATING: BLACK GLASS TISSUE COATED
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
(S.C, 01.08.2024)

3) COMMERCIAL MODEL: "TAŞYÜNÜ YÜZER DÖŞEME LEVHASI"
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,038 W/M.K
THICKNESS CLASS: T3
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COMPRESSIVE STRENGTH: CS(10/Y)5
COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
(S.C, 01.08.2024)

4) COMMERCIAL MODEL: "TAŞYÜNÜ MANTO R+"
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,038 W/M.K
THICKNESS CLASS: T5
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COMPRESSIVE STRENGTH: CS(10/Y)20
COATING: UNCOATED BOARD PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE
CREEP IS NEEDED
(S.C, 01.08.2024)

5) COMMERCIAL MODEL: "TAŞYÜNÜ MANTOLAMA LEVHASI"
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,039 W/M.K
THICKNESS CLASS: T5
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COMPRESSIVE STRENGTH: CS(10/Y) 30 (S.C, 22.03.2022)

e-imzalı/e-signed

19.03.2025

On Behalf Of The Head Of Certification Center
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION
DEPT. P.

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



(000134-TSE-08/05nolu belge devamı) : İZOCAM TİCARET VE SANAYİ ANONİM ŞİRKETİ
İLGİLİ TÜRK STANDARDI (RELATED TURKISH STANDARD) TS EN 13162+A1 / 02.04.2015

COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED

6) COMMERCIAL MODEL: "TAŞYÜNÜ TERAS ÇATI LEVHASI"
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,040 W/M.K
THICKNESS CLASS: T3
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70,90)1
SHORT TERM WATER ABSORPTION CLASS: WP
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
COMPRESSIVE STRENGTH: CS(10/Y) 50
COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
(S.C, 01.08.2024)

e-imzalı/e-signed

19.03.2025

On Behalf Of The Head Of Certification Center
AKDOĞAN BULUT

MANAGER OF THE TSE ISTANBUL CERTIFICATION
DEPT. P.

*This certificate also shows that the production place of the certified product meets the requirements of Institute.

*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.

*TSE * Address: Çayırova Tren İstasyonu Yanı ÇAYIROVA/GEBZE * Telephone: 2627231273* Fax: 2627231606

*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail

:bmb@tse.org.tr , web : www.tse.org.tr

